

| SampleDate | ContaminantID | Result | Units | MDL |
|------------|---------------|---------|----------|--------|
| 02-May-06 | Alkalinity | 59.00 | mg/L | 59 |
| 02-May-06 | Hardness | 54.70 | mg/L | 54.7 |
| 02-May-06 | Iron | <0.05 | mg/L | 0.05 |
| 02-May-06 | Manganese | <0.005 | mg/L | 0.005 |
| 06-Jun-06 | Arsenic | 0.002 | mg/L | 0.002 |
| 06-Jun-06 | Alkalinity | 60.00 | mg/L | 60 |
| 06-Jun-06 | Hardness | 57.40 | mg/L | 57.4 |
| 06-Jun-06 | Iron | <0.05 | mg/L | 0.05 |
| 06-Jun-06 | Manganese | <0.005 | mg/L | 0.005 |
| 17-Jul-06 | Alkalinity | 60.00 | mg/L | 60 |
| 17-Jul-06 | Hardness | 50.70 | mg/L | 50.7 |
| 17-Jul-06 | Iron | <0.05 | mg/L | 0.05 |
| 17-Jul-06 | Manganese | <0.005 | mg/L | 0.005 |
| 14-Aug-06 | Alkalinity | 65.00 | mg/L | 65 |
| 14-Aug-06 | Hardness | 58.30 | mg/L | 58.3 |
| 14-Aug-06 | Iron | <0.05 | mg/L | 0.05 |
| 14-Aug-06 | Manganese | <0.005 | mg/L | 0.005 |
| 05-Sep-06 | Nitrate | 2.66 | mg/L | 2.66 |
| 05-Sep-06 | Nitrite | <0.10 | mg/L | 0.1 |
| 13-Sep-06 | Alkalinity | 59.00 | mg/L | 59 |
| 13-Sep-06 | Hardness | 50.80 | mg/L | 50.8 |
| 13-Sep-06 | Iron | <0.05 | mg/L | 0.05 |
| 13-Sep-06 | Manganese | <0.002 | mg/L | 0.002 |
| 07-Nov-06 | Alkalinity | 58.00 | mg/L | 5 |
| 07-Nov-06 | Iron | <0.004 | mg/L | 0.004 |
| 07-Nov-06 | Hardness | 55.50 | mg/L | 0.055 |
| 07-Nov-06 | Manganese | <0.0012 | mg/L | 0.0012 |
| 07-Nov-06 | (pH) | 6.72 | pH units | 0 |
| 05-Sep-06 | Nitrate | 2.66 | mg/L | 0 |
| 05-Sep-06 | Nitrite | <0.10 | mg/L | 0 |
| 05-Sep-06 | Alkalinity | 59.00 | mg/L | 5 |
| 05-Sep-06 | Iron | <0.004 | mg/L | 0.004 |
| 05-Sep-06 | Hardness | 50.80 | mg/L | 0.055 |
| 05-Sep-06 | Manganese | <0.0012 | mg/L | 0.0012 |
| 05-Sep-06 | (pH) | 0.00 | pH units | 0 |
| 14-Aug-06 | Alkalinity | 65.00 | mg/L | 5 |
| 14-Aug-06 | Iron | <0.004 | mg/L | 0.004 |
| 14-Aug-06 | Hardness | 58.30 | mg/L | 0.055 |
| 14-Aug-06 | Manganese | <0.0012 | mg/L | 0.0012 |
| 14-Aug-06 | (pH) | 6.84 | pH units | 0 |
| 02-Oct-06 | Alkalinity | 67.00 | mg/L | 5 |
| 02-Oct-06 | Iron | <0.018 | mg/L | 0.004 |
| 02-Oct-06 | Hardness | 57.90 | mg/L | 0.055 |
| 02-Oct-06 | Manganese | <0.002 | mg/L | 0.0012 |
| 02-Oct-06 | (pH) | 6.50 | pH units | 0 |
| 19-Dec-06 | Alkalinity | 59.00 | mg/L | 5 |
| 19-Dec-06 | Iron | <0.004 | mg/L | 0.004 |
| 19-Dec-06 | Hardness | 57.60 | mg/L | 0.055 |

| | | | | |
|-----------|-----------|---------|----------|--------|
| 19-Dec-06 | Manganese | <0.0012 | mg/L | 0.0012 |
| 19-Dec-06 | (pH) | 6.53 | pH units | 0 |